

YOUR INTELLIGENT WORLD

GUARDING YOUR HOME, YOUR
BUSINESS AND HELPING YOU
MAKE DATA DRIVEN DECISIONS.

AT THE HEART OF ANY CONNECTED
TECHNOLOGY LIES A HUMAN
EXPERIENCE. INNOVATIVE AND
INSPIRED THINKING IS WHAT THE
FOUNDATION OF OZAAS IS BUILT
ON. OUR INNOVATION RADAR IS
CONSISTENTLY DRIVEN BY OUR
AMBITION TO HELP THE WORLD
LIVE SMARTER, WITH PRODUCTS
THAT PROMISE COMFORT AND
PEACE OF MIND.

OZAAS AHD CAMERAS



OZ-V1-AEBH10-200

1MP AHD Bullet Camera



Features

- 1/1.4" 1.0MP CMOS
- 3.6mm Fixed Lens
- Up to 20m IR distance
- 4 IN1 AHD/CVI/TVI/CVBS
- UTC & OSD support
- IP66
- Night Vision



4 in 1



Day/Night



CMOS Sensor



WDR



20m IR Distance



Weatherproof
IP66

OZ-V1-AEDH10-200

1MP AHD Dome Camera



Features

- 1/4" 1.0MP CMOS
- 3.6mm Fixed Lens
- Up to 20m IR distance
- 4 IN1 AHD/CVI/TVI/CVBS
- UTC & OSD support
- Night Vision



4 in 1



Day/Night



CMOS Sensor



WDR



20m IR Distance

OZ-V1-AMBH20-300

2MP AHD Bullet Camera



Features

- 1/2.7" 2.0MP CMOS
- 3.6mm Lens
- Up to 20m IR distance
- 4 IN1 AHD/CVI/TVI/CVBS
- UTC & OSD support
- IP66
- Night Vision



4 in 1



Day/Night



CMOS Sensor



WDR



20m IR Distance



Weatherproof
IP66

OZ-V1-AMDH20-300

2MP AHD Dome Camera



Features

- 1/2.7" 2.0MP CMOS
- 3.6mm Lens
- Up to 20m IR distance
- 4 IN1 AHD/CVI/TVI/CVBS
- UTC & OSD support
- IP66 Metal case
- Night Vision



4 in 1



Day/Night



CMOS Sensor



WDR



20m IR Distance



Weatherproof
IP66



4IN1

Supports
AHD/CVI/TVI/CVBS



Day/Night

See clearly even in the dark.



WDR

Clear images in any lighting conditions.



Built in IR

Monitor an area in complete darkness.



CMOS Sensor

Delivers superior image quality.



Weatherproof

Always protected, come rain or shine.



Privacy Masking

Block specific areas from camera's view.



Motion Alerts

Set instant alerts if motion is detected.



P2P

Get remote access of your cameras.



Defog Mode

See clearly even in foggy conditions.



POE

Transmit power to remote cameras over data network.



Compression

H.264
H.265
Reduces bit rate for faster streaming & reduced storage.



SD Slot

Internal SD card slot for recordings.



2-way audio

See, listen & talk



e-PTZ

Pan, tilt & zoom in on a specific area.



Panoramic View

Get a full 360° view without blind spots.

Anywhere, Anytime Access with
free OZAAS Eye Pro App



OZAAS IP CAMERAS




OZ-V1-AMDN20-200

2MP IP Dome Camera



Features

- 1/2.9" CMOS Sensor
- 3.6mm Fixed Lens
- Up to 20m IR distance
- H.264/H.265 Compression
- IP66 Metal case
- Night Vision




OZ-V3-AMDN20-200

2MP IP Dome Camera



Features

- 1/2.9" CMOS Sensor
- 3.6mm Fixed Lens
- Up to 20m IR distance
- HISILICON Hi3516E
- H.265+/H.265/H.264+/H.264
- IP66 Metal case, PoE



OZ-V1-APBN40-400

4MP IP Bullet Camera



Features

- 1/3"OV Hi-Res CMOS
- 6mm Fixed Lens
- Up to 40m IR distance
- H.264/H.265 compression
- IP66, PoE
- Night Vision




OZ-V1-AMBN20-300

2MP IP Bullet Camera



Features

- 1/2.9" CMOS Sensor
- 3.6mm Fixed Lens
- Up to 30m IR distance
- H.264+/H.265+ Compression
- IP66
- Night Vision



OZ-V3-AMBN20-250

2MP IP Bullet Camera



Features

- 1/2.9" CMOS Sensor
- 3.6mm Fixed Lens
- Up to 25m IR distance
- HISILICON Hi3516E
- H.265+/H.265/H.264+/H.264
- IP66 Metal, PoE



OZ-V1-APBN40-405


4MP 5X IP Bullet Camera



5X
Motor Zoom
Lens

Features

- 1/3"OV Hi-Res CMOS
- 2.7-13.5mm Lens
- Up to 40m IR distance
- H.264/H.265 compression
- IP66, PoE
- Night Vision



OZAAS IP CAMERAS

STARLIGHT



Ultimate STARLIGHT Lens + SONY STARVIS Sensor

OZ-V3-APDNSL20-200
2MP IP Dome Camera



STARLIGHT
STARVIS

Features

- 1/2.8"SONY Starvis - Starlight Back-illuminated CMOS
- 3.6mm Fixed Lens
- Up to 20m IR distance
- HISILICON Hi3516C
- H.265+/H.265/H.264+/H.264
- IP66 Metal, PoE




OZ-V1-APDN40-400
4MP IP Dome Camera



Features

- 1/3"OV Hi-Res CMOS
- 3.6mm Fixed Lens
- Up to 20m IR distance
- H.264/H.265 compression
- IP66, PoE
- Night Vision




OZ-V3-APBN50-400
5MP IP Bullet Camera



STARVIS

Features

- 1/2.8"SONY Starvis Back-illuminated CMOS
- 6mm Fixed Lens
- Up to 40m IR distance
- HISILICON Hi3516D
- H.265+/H.265/H.264+/H.264
- IP66 Metal, PoE




OZ-V3-APBNSL20-300
2MP IP Bullet Camera



STARLIGHT
STARVIS

Features

- 1/2.8"SONY Starvis - Starlight Back-illuminated CMOS
- 3.6mm Fixed Lens
- Up to 30m IR distance
- HISILICON Hi3516C
- H.265+/H.265/H.264+/H.264
- IP66 Metal, PoE




OZ-V1-APDN40-405
4MP 5X IP Dome Camera



5X
Motor Zoom
Lens

Features

- 1/3"OV Hi-Res CMOS
- 2.7-13.5mm Lens
- Up to 30m IR distance
- H.264/H.265 compression
- IP66, PoE
- Night Vision



OZ-V3-APDN50-200
5MP IP Dome Camera



STARVIS

Features

- 1/2.8"SONY Starvis Back-illuminated CMOS
- 2.8mm Fixed Lens
- Up to 20m IR distance
- HISILICON Hi3516D
- H.265+/H.265/H.264+/H.264
- IP66 Metal, PoE



OZAAS PTZ CAMERAS



360° PANORAMIC PAN TILT ZOOM


OZAAS IR PTZ camera features a CMOS imager with a 22x optical zoom lens for capturing mid to long-distance video surveillance.

The PTZ camera is equipped with an accurate pan tilt zoom control and True WDR for applications with direct sunlight or glare. Thanks to the camera's true day/night IR cut filter, Smart IR, and defog, images are crisp and clear in both day or night.



Horizontal: 0°~360°

Vertical: 0°~93°



OZ-V1-APDBN50-6022

5MP Outdoor PTZ Camera



22X
Optical Zoom

Features

- 1/2.5" Aptina CMOS Sensor
- H.264/H.265 Compression
- 22X Optical Zoom
- Up to 60m IR distance
- IP66 Outdoor
- Night Vision

OZ-V1-AMDBN20-6022


2MP Outdoor PTZ Camera



22X
Optical Zoom

Features

- 1/2.9" CMOS Sensor
- H.264 Compression
- 22X Optical Zoom
- Up to 60m IR distance
- IP66
- Night Vision



Download the free Ozaas EYE app for iOS & Android



OZAAS FISH EYE IP CAMERA




OZ-V1-FPDN20-200/OZ-V1-FPDN40-600
2MP/4MP Panoramic IR Fisheye IP Camera

- CMOS Sensor
- Panoramic Lens/ 5MP Resolution
- H.265/H.264 Compression
- Up to 20m IR distance
- SD Card Slot (Max. 64GB)
- PoE (IEEE 802.3af)
- WiFi distance of up to 300m
- Two-Way Audio
- Alarm In/Out, CVBS



Panoramic view with no blind spots



Additional Functionalities to optimize your premises



Smartphone Monitoring
Real-time Monitoring
Event alarm detection



VANDAL PROOF



Weather Proof
IP66

Specialized Features



5MP IMAGE CLARITY



64GB SD CARD STORAGE



2-WAY AUDIO



Fisheye




Single Panorama



A 360° SOLUTION FOR ANY BUSINESS

Retail stores, offices or homes need minimum installation with minimum maintenance. Ozaas panoramic fisheye camera is a perfect solution.



Download the free Ozaas EYE app for iOS & Android





OZAAS DIY WI-FI CAMERA KIT

OZ-V1-WEBH10-300/OZ-V1-WBN25-300
1MP/2MP 4CH Wi-Fi Kit 300m distance

1 x 4CH Wi-Fi NVR



Features

- Wi-Fi NVR with 5dBi Antenna
- Wi-Fi Transmission upto 300m (Subject to no obstructions)
- H.264+/H.265+
- HDMI & VGA Output
- Better heat dispersion



Wireless



Privacy Mask



Plug & Plug



4 x 1MP/2MP Bullet IP Cameras



Features

- Sony CMOS Sensor
- 3.6mm Lens
- Up to 30m IR distance
- Privacy Masking
- IP66 Weatherproof



CMOS Sensor



WDR



30m IR Distance



Weather proof



Day/Night



4 x DC12V/0.5A Power



1 x DC12V/2A Power Adapter for WIFI NVR



1 x USB Mouse

EVERYTHING YOU NEED TO START BUILDING YOUR HOME SECURITY



EASY INSTALLATION

Want to protect your home, but don't want to get a hard-wired system installed? Easy to install Ozaas Wi-Fi camera kit helps you monitor your home or business from anywhere with your laptop, tablet or smartphone. No matter where you are, you're always home.



SET A VIRTUAL FENCE TO TRIGGER ALARMS

Ozaas NVR can create a virtual fence to wall-off a designated area, and trigger an alert if a person or object crosses the boundary. Each profile triggers its own alarms and has its own settings.



REMOTE VIEWING FROM YOUR SMARTPHONE

Share the Action - Easily share camera access, or specific videos with friends and family so everyone's caught up on the latest events.



Download the free Ozaas EYE app for iOS & Android



OZAAS RECORDERS



XVR

OZ-V1-APX-16A0H2-UK/EU
16CH XVR 5IN1 H.264



Features

- Analog / AHD / CVI / TVI / IP cam compatible
- Up to HD 1080N & IP 5MP Res Recording
- HDMI, VGA and CVBS Video Output
- Supports 16CH HD or 16CH IP Camera Input
- 2 SATA HDD (Upto 12TB capacity)
- Smartphone Remote Monitoring

OZ-V1-AMX8A0H-UK/EU
8CH XVR 5IN1 H.264



Features

- Analog / AHD / CVI / TVI / IP cam compatible
- Recording Res up to HD 1080N & IP 1080P
- HDMI, VGA and CVBS Video Output
- Supports 8CH HD or 16CH IP Camera Input
- 1 SATA HDD (Upto 6TB capacity)
- Smartphone Remote Monitoring

NVR

OZ-V1-APN8A0N1-UK/EU
8CH NVR, POE



Features

- 8-channel HD NVR
- Compatible with any IP camera
- Up to 8MP Recording & Playback
- HDMI & VGA Output
- H.264/H.265 Video Format
- 1SATA HDD (Upto 6TB capacity)
- Smartphone Remote Monitoring

OZ-V3-AEN4A0N1
4CH Mini POE NVR



Features

- 4-channel HD NVR
- Compatible with any IP camera
- Up to 5MP Recording & Playback
- HDMI & VGA Output
- H.265+/H.265/H.264+/H.264
- 1 SATA HDD (Upto 8TB capacity)
- Smartphone Remote Monitoring

OZ-V2-APN8A0N1-UK/EU
8CH NVR, POE



Features

- 8-channel HD NVR
- Compatible with any IP camera
- Up to 8MP Recording & Playback
- HDMI & VGA Output
- H.264/H.265 Video Format
- 1 SATA HDD (Upto 6TB capacity)
- Smartphone Remote Monitoring

OZ-V1-APN16A0N1-UK/EU
16CH NVR, POE



Features

- 16-channel HD NVR
- Compatible with any IP camera
- Up to 8MP Recording & Playback
- HDMI & VGA Output
- H.265/H.264 Video Format
- 1 SATA HDD (Upto 6TB capacity)
- Supports 8 PoE Network Interfaces
- Smartphone Remote Monitoring

OZ-V2-APN16B0N1-UK/EU
16CH NVR, POE



Features

- 16-channel HD NVR
- Compatible with any IP camera
- Up to 8MP Recording & Playback
- HDMI & VGA Output
- H.265+/H.265/H.264+/H.264
- 2SATA HDD(Upto 12TB capacity)
- Supports 8 PoE Interfaces
- Smartphone Remote Monitoring

OZAAS VIDEO MANAGEMENT SOLUTION (VMS)



VIDEO MANAGEMENT SOLUTION

Ozaas Video Management System (VMS) is a powerful, reliable and scalable solution for video surveillance and business management. It can be deployed in small projects containing only a few cameras as well as large installations with hundreds of cameras, access control and other devices.

Ozaas VMS Pro is designed to provide video monitoring, recording setting and access to facility maps and alarms for large projects. It can also provide flexible and diverse deployment plans to meet the demands of medium or small projects in different environments.



VIDEO ANALYTICS

Our industry-defining technologies - OZAAS Cloud and OZAAS Analytics, extend the effectiveness of your surveillance system with affordable cloud storage solutions and a comprehensive video monitoring and periphery security system.

Enterprise Video Management

Enterprise VMS functionalities for professional security



Alarm Management



360 Fisheye



Centralized Management

Real-Time Video Analytics

Real Time Video Analytics for advanced security projects



Intrusion Detection




Face Recognition



Virtual Fence

Scalable Storage Solutions

Cloud and High-Performance Storage Solutions designed for Surveillance Industry



VIDEO SURVEILLANCE STORAGE SOLUTIONS




Introducing Tyrone Opslag FS2

High-density storage has made the widespread adoption of video surveillance possible, with projects scaling from hundreds to thousands of cameras, pushing the limits of scaling for traditional storage systems. So how do you store the immense amount of footage in a cost-efficient manner?

Opslag FS2 series from Tyrone Systems is a solution built to address these concerns. It is a solution that can scale from a few Terabytes to Petabytes seamlessly, so the storage capacity of a surveillance system can meet your future growth needs.

Opslag FS2 has Tier 1 & Tier 2 storage that automatically migrates your video to the most cost-efficient tiers. Using a tiered storage approach provides total usable capacity for less of the overall budget, without sacrificing performance, flexibility, or access.



Video Surveillance workflow with Tyrone Opslag FS2



UNIFIED STORAGE
All-in-one storage
(NAS | SAN | VTL)



REDUNDANCY
No Single point of failure (SPOF)



ACCELERATION
Offers high video & image retrieval efficiency.

File Protocols
Block Protocols
Host Interface(s)2s
10G/25G/50G/100G Ethernet
Fibre-Channel
FDR/EDR InfiniBand
Intel Omni-path

CIFS/SMB, AFP, FTP, NFS & NFS over RDMA
iSCSI Target, FC Target, SRP Target
Gigabit Ethernet - Up to 12 ports (RJ45)
Up to 4 ports
Up to 4 ports
Up to 2 ports
Up to 2 ports

KEY FEATURES

- Choice of Single or Dual Controller
- SSD Caching
- Tier 1 & Tier 2 storage
- Scales to Petabytes of Storage
- Connects to various Networks
- Highly secure
- The efficient flow of data
- High-bandwidth & low latency
- No single point of failure
- Supports fail-over clustering
- Supports local & remote replication.

THE POWER OF CHOICE



Log on to our website and select from a range of over 100 Tyrone Recording and Management servers.



Ready?
SCAN QR CODE
and get started

*Tested for surveillance visualization and monitoring station solutions



www.ozaas.com | support@ozaas.com

Authorized Partner of OZAAS